

Soil Quality Indicators: Infiltration

USDA Natural Resources Conservation Service

January 1998

What is Infiltration?

Infiltration is the process of water entering the soil. The rate of infiltration is the maximum velocity at which water enters the soil surface. When the soil is in good condition or has good soil health, it has stable structure and continuous pores to the surface. This allows water from rainfall to enter unimpeded throughout a rainfall event. A low rate of infiltration is often produced by surface seals resulting from weakened structure and clogged or discontinuous pores.



Why is infiltration a concern?

Soil can be an excellent temporary storage medium for water, depending on the type and condition of the soil. Proper management of the soil can help maximize infiltration and capture as much water as allowed by a specific soil type.

If water infiltration is restricted or blocked, water does not enter the soil, and it either ponds on the surface or runs off the land. Thus, less water is stored in the soil profile for use by plants. Runoff can carry soil particles and surface applied fertilizers and pesticides off the field. These materials can end up in streams and lakes or in other places where they are not wanted.

Soils that have reduced infiltration have an increase in the overall amount of runoff water. This excess water can contribute to local and regional flooding of streams and rivers or results in accelerated soil erosion of fields or streambanks.

In most cases, maintaining a high infiltration rate is desirable for a healthy environment. However, soils that transmit water freely throughout the entire profile or into tile lines need proper chemical management to ensure the protection of groundwater and surface water resources.

Soils that have reduced infiltration can become saturated at the surface during rainfall. Saturation decreases soil strength, increases detachment of particles, and enhances the erosion potential. In some areas that have a steep slope, surface material lying above a compacted layer may move in a mass, sliding down the slope because of saturated soil conditions.

Decreases in infiltration or increases in saturation above a compacted layer can also cause nutrient deficiencies in crops. Either condition can result in anaerobic conditions which reduce biological activity and fertilizer use efficiencies.

What factors influence infiltration?

A number of factors impact soil infiltration. Some of these are:

- **Texture:** The type of soil (sandy, silty, clayey) can control the rate of infiltration. For example, a sandy surface soil normally has a higher infiltration rate than a clayey surface soil. A soil survey is a recorded map of soil types on the landscape.
- **Crust:** Soils that have many large surface connected pores have higher intake rates than soils that have few such pores. A crust on the soil surface can seal the pores and restrict the entry of water into the soil.

- **Compaction:** A compacted zone (plowpan) or an impervious layer close to the surface restricts the entry of water into the soil and tends to result in ponding on the surface.
- **Aggregation and Structure:** Soils that have stable strong aggregates as granular or blocky soil structure have a higher infiltration rate than soils that have weak, massive, or platelike structure. Soils that have a smaller structural size have higher infiltration rates than soils that have a larger structural size.
- **Water Content:** The content or amount of water in the soil affects the infiltration rate of the soil. The infiltration rate is generally higher when the soil is initially dry and decreases as the soil becomes wet. Pores and cracks are open in a dry soil, and many of them are filled in by water or swelled shut when the soil becomes wet. As they become wet, the infiltration rate slows to the rate of permeability of the most restrictive layer.
- **Frozen Surface:** A frozen soil greatly slows or completely prevents water entry.
- **Organic Matter:** An increased amount of plant material, dead or alive, generally assists the process of infiltration. Organic matter increases the entry of water by protecting the soil aggregates from breaking down during the impact of raindrops. Particles broken from aggregates can clog pores and seal the surface and decrease infiltration during a rainfall event.
- **Pores:** Continuous pores that are connected to the surface are excellent conduits for the entry of water into the soil. Discontinuous pores may retard the flow of water because of the entrapment of air bubbles. Organisms such as earthworms increase the amount of pores and also assists the process of aggregation that enhances water infiltration.



How can infiltration be increased?

A number of management options can help increase soil infiltration:

- Decrease compaction by reducing tillage and by avoiding the use of machinery when the soils are wet. Keep the number of trips across a field to a minimum and follow the same wheel tracks for all operations, if possible.
- Decrease the formation of crusts by maintaining plant cover or by practicing residue management to reduce the impact of raindrops. Use a rotary hoe or row cultivator to shatter crust.
- Increase the amount of organic materials added to the soil to increase the stability of soil aggregates.
- Decrease or eliminate tillage operations to help maintain surface connected pores and encourage biological activity.

Visit our Web site:
www.nssc.nrcs.usda.gov

(Prepared by the National Soil Survey Center in cooperation with the Soil Quality Institute, NRCS, USDA, and the National Soil Tilth Laboratory, Agricultural Research Service, USDA).

The U. S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.